

Configuration options via AIP Console

- Administration Center
 - Administration Center - Applications
 - Administration Center - Applications - Application Details
 - Administration Center - Nodes
 - Administration Center - Security
 - Administration Center - Security - User Roles
 - Administration Center - Global Configurations
 - Administration Center - Settings - Extensions Strategy
 - Administration Center - Settings - Assessment Model Strategy
 - Administration Center - Settings - Snapshot Indicators
 - Administration Center - Settings - Default Dynamic Links Rules
 - Administration Center - Settings - Exclusion templates
 - Administration Center - Settings - Source Folder Location
 - Administration Center - Settings - CSS Optimization
 - Administration Center - Settings - Measurement
 - Administration Center - Settings - Backup Strategy
 - Administration Center - Settings - Snapshot Strategy
 - Administration Center - Settings - Version Strategy
 - Administration Center - Settings - Delivery Strategy
 - Administration Center - Settings - Mainframe libraries - PDS Dump
 - Administration Center - Settings - Maven Repositories
 - Administration Center - Settings - .NET Assemblies
 - Administration Center - System Settings
 - Administration Center - Settings - Dashboard Integration
 - Administration Center - Settings - Imaging Settings
 - Administration Center - Settings - CAST Extend
 - Administration Center - Settings - License Key
 - Administration Center - Settings - Proxy
- Configuration options - CLI
 - Delete an Application via CLI
- Configuration options - config files
 - Blacklisting extensions
 - Changing Console and Node port numbers - activating HTTPS
 - Configuring AIP Console and AIP Nodes to use a proxy
 - Configuring AIP Console session timeout
 - Configuring AIP Console to use custom extensions
 - Configuring connection settings from AIP Node to CAST Storage Service or PostgreSQL
 - Configuring custom AIP Console access URL
 - Configuring email notifications
 - Configuring persistence database backup
 - Configuring RAM for AIP Console front-end and AIP Nodes
 - Configuring the maximum number of parallel job executions per AIP Node
 - Configuring User Authentication
 - SAML authentication
 - Configuring start up services and scripts for use with Java 16
 - Customizing the dashboard context names
 - Configuring Indicators
 - Installing and uninstalling Windows Services
 - Modifying the Apache Tomcat temp folder for each AIP Node
 - Path matching option for source code delivery rescan
 - Update Health Dashboard configuration after Measurement Service schema changes
 - Using the aip-encryption-tool to encrypt credentials
 - Universal Analyzer manual permanent dependency management