

# CMS - Preferences - Mail

## Preferences - Mail

The **Mail** settings are described below:

### Mail server IP, name or address

SMTP Server host

### Mail server port (default is 25)

Port

### Optional sender (may be required by Mail server for SPAM filtering)

Sender Mail address

Authentication

User

Password

These settings are used to send report emails on completion of a [snapshot generation](#) or the [run analysis only](#) action if the appropriate option is selected AND you have defined a list of recipients in the [Notes](#) tab of the [Application editor](#).

If you check this option, the code analysis will not  
analysis have been configured correctly and run v

Skip Application Analysis

Ignore Empty Module

Send mail report (if configured)

<b>SMTP Server host</b>	Enter the SMTP server that will handle the mail for you. This can be: <ul style="list-style-type: none"><li>• a local or internet based IP address</li><li>• a local Windows host name</li><li>• a fully qualified domain name</li></ul>
<b>Port</b>	Set the port number on which your mail server runs. Most mail servers run on port 25, but please check your local environment for more information. Secure SSL/TLS connections are not supported.
<b>Sender mail address</b>	Enter an email address of a user that is permitted to send through the SMTP server defined in the <b>SMTP Server host</b> section.
<b>Authentication</b>	Tick <b>Authentication</b> if the target SMTP server requires authentication: <ul style="list-style-type: none"><li>• Enter a <b>User</b> name - for example this could be an email address or a Windows active directory login (DOMAIN\USER)</li><li>• Enter a <b>Password</b> that corresponds to the <b>User</b> you entered</li></ul>

