

Admin Center - Roles panel

- [Introduction](#)
 - [Default roles](#)
 - [Available resources](#)
- [Roles list](#)
- [Assigning roles to users/groups](#)

 **Summary:** this page describes how to manage roles and their application authorities/resource permissions.

 A user with the **ADMIN** or **SUPER ADMIN** role is required.


Introduction



The Roles panel enables you to manage the roles that can be granted to your users/groups (via the [Admin Center - Users panel](#)). All users **MUST** be granted a role (either directly to the user or to a group the user is a member of) before the user will be able to access application data or interact with CAST Imaging features.

CAST Imaging provides **four default roles out of the box** (see below) for **each tenant** and these can be supplemented with additional custom roles as required. Roles do two things:

- grant access to **application data** (either the role can access a single application, multiple applications or all applications):



- grant varying degrees of access to **features within CAST Imaging** - this is known as "**resource permissions**". These resource permissions are granted using **READ, CREATE, UPDATE, DELETE** options. In the following example, a role grants **READ** and **CREATE** permissions on the **Document-It** resource (see [User Guide - Using the Document-It feature](#)). This means that a user assigned this role:
 - can **READ** existing Document-It items added to a view
 - can **CREATE** new Document-It items in a view
 - cannot **UPDATE** existing Document-It items in a view
 - cannot **DELETE** existing Document-It items in a view



A role can include **a mix of the two access type permissions** (application data and resource permissions), or it can include just one type (either application data or resource permissions) - in this latter case, multiple roles should be assigned to allow the user/group to interact correctly.

Default roles

Out of the box in a brand new installation of CAST Imaging, the following roles are made available in order of priority

<p>SUPER ADMIN</p>	<p>The SUPER ADMIN role provides permission to execute the following actions in the Admin Center across all tenants:</p> <ul style="list-style-type: none"> • Manage the import of applications - see Admin Center - Application management panel • Manage existing default roles and create/manage new custom roles (current documentation page) • Assign/revoke roles to users/groups - see Admin Center - Users panel • Manage app to app dependencies - see Admin Center - Application to Application Dependencies management • Manage preferences - see Configuring display preferences • Manage the multi tenant feature - see Admin Center - Multi tenant panel <p>In addition:</p> <ul style="list-style-type: none"> • Users and members of groups with the SUPER ADMIN role can access all Application data in CAST Imaging across all tenants • Users and members of groups with the SUPER ADMIN role have full resource permissions on all CAST Imaging features • this role is not specific to a single tenant, instead it is intended to be used as a "global administrator" with complete jurisdiction across <div style="border: 1px solid #f0e68c; padding: 5px;"> <p> • The first user to log in to CAST Imaging following a fresh installation will receive the SUPER ADMIN as described in First log super admin.</p> <p>• You should use this role with caution!</p> </div>
<p>ADMIN</p>	<p>The ADMIN role is identical to the SUPER ADMIN except that:</p> <ul style="list-style-type: none"> • this role cannot manage the multi tenant feature - see Admin Center - Multi tenant panel • this role is specific to each tenant - in other words it is the "SUPER ADMIN" role on a per tenant basis • if there is only one tenant in existence and the multi tenant feature is not used, then this role has identical permissions to SUPER ADMIN <div style="border: 1px solid #f0e68c; padding: 5px;"> <p> You should use this role with caution!</p> </div>

ARCHITECT

The **ARCHITECT** role is intended to be granted to users/groups that do not require Admin Center access but require more access than s

- This role does not grant any application access permissions therefore you will need to specify these manually
- this role is specific to each tenant
- the default set of resource permissions is as follows:

Click to enlarge

>	<input type="checkbox"/>	Admin Resources	Resource							
∨	<input checked="" type="checkbox"/>	App to App Dependencies	Resource							
	<input checked="" type="checkbox"/>	READ	Permission							
∨	<input checked="" type="checkbox"/>	Custom Object Types	Resource							
	<input checked="" type="checkbox"/>	READ		<input checked="" type="checkbox"/>	UPDATE	<input type="checkbox"/>	DELETE	<input checked="" type="checkbox"/>	CREATE	Permission
∨	<input checked="" type="checkbox"/>	Custom View	Resource							
	<input checked="" type="checkbox"/>	CREATE		<input checked="" type="checkbox"/>	READ	<input type="checkbox"/>	DELETE	<input type="checkbox"/>	UPDATE	Permission
∨	<input checked="" type="checkbox"/>	Cypher Search	Resource							
	<input checked="" type="checkbox"/>	READ		<input type="checkbox"/>	CREATE					Permission
∨	<input checked="" type="checkbox"/>	Document-It	Resource							
	<input type="checkbox"/>	DELETE		<input checked="" type="checkbox"/>	CREATE	<input checked="" type="checkbox"/>	UPDATE	<input checked="" type="checkbox"/>	READ	Permission
∨	<input checked="" type="checkbox"/>	Services View	Resource							
	<input checked="" type="checkbox"/>	READ	Permission							
∨	<input checked="" type="checkbox"/>	Sourcecode Viewer	Resource							
	<input checked="" type="checkbox"/>	READ	Permission							
∨	<input checked="" type="checkbox"/>	Tags	Resource							
	<input type="checkbox"/>	DELETE		<input checked="" type="checkbox"/>	UPDATE	<input checked="" type="checkbox"/>	READ	<input checked="" type="checkbox"/>	CREATE	Permission

USER

The **USER** role should be granted to "standard" users/groups - i.e. those that do not require Admin Center access and limited resource p default set of resource permissions is as follows:

Click to enlarge

>	<input type="checkbox"/>	Admin Resources	Resource							
∨	<input checked="" type="checkbox"/>	App to App Dependencies	Resource							
	<input checked="" type="checkbox"/>	READ	Permission							
∨	<input checked="" type="checkbox"/>	Custom Object Types	Resource							
	<input checked="" type="checkbox"/>	READ		<input type="checkbox"/>	UPDATE	<input type="checkbox"/>	DELETE	<input type="checkbox"/>	CREATE	Permission
∨	<input checked="" type="checkbox"/>	Custom View	Resource							
	<input type="checkbox"/>	CREATE		<input checked="" type="checkbox"/>	READ	<input type="checkbox"/>	DELETE	<input type="checkbox"/>	UPDATE	Permission
∨	<input checked="" type="checkbox"/>	Cypher Search	Resource							
	<input checked="" type="checkbox"/>	READ		<input type="checkbox"/>	CREATE					Permission
∨	<input checked="" type="checkbox"/>	Document-It	Resource							
	<input type="checkbox"/>	DELETE		<input type="checkbox"/>	CREATE	<input type="checkbox"/>	UPDATE	<input checked="" type="checkbox"/>	READ	Permission
∨	<input checked="" type="checkbox"/>	Services View	Resource							
	<input checked="" type="checkbox"/>	READ	Permission							
∨	<input checked="" type="checkbox"/>	Sourcecode Viewer	Resource							
	<input checked="" type="checkbox"/>	READ	Permission							
∨	<input checked="" type="checkbox"/>	Tags	Resource							
	<input type="checkbox"/>	DELETE		<input checked="" type="checkbox"/>	UPDATE	<input checked="" type="checkbox"/>	READ	<input checked="" type="checkbox"/>	CREATE	Permission



Available resources

Admin Resources

Grants access to **admin level features** (available in the [Admin Center](#)) for the current tenant.


App to app dependencies




Grants access to the [User Guide - Application to Application dependencies scope](#) for the current tenant:



Custom Object Types

Grants access to the [custom node feature](#) for the current tenant:



<p>Custom View</p>	<p>Grants access to the User Guide - Custom scope in the current tenant:</p>  <p>The screenshot shows a 'Perimeter' dropdown menu. The 'Scope' is set to 'Application'. The menu items are: Application, Module, Transaction, Data call graph, Architecture layer, Service, and Custom. A red arrow points to the 'Custom' option.</p>
<p>Cypher Search</p>	<p>Grants access to the Cypher Search feature for the current tenant:</p>  <p>The screenshot shows the Cypher Search interface. The 'CYPHER' tab is selected in the top navigation bar. Below the tabs is a text input field with the placeholder text 'Enter a cypher query...'. A 'VISUALIZE' button is located at the bottom right. A red arrow points to the 'CYPHER' tab.</p>
<p>Document-It</p>	<p>Grants access to the Document-It feature for the current tenant:</p>  <p>The screenshot shows the Document-It interface. The 'DOCUMENT-IT' menu item is selected in the left sidebar. The main content area shows 'Aggregated by CAST Taxonomy' and 'Levels Level5'. A red arrow points to the 'DOCUMENT-IT' menu item.</p>

<p>Services view</p>	<p>Grants access to the User Guide - Service scope for the current tenant:</p> <div data-bbox="402 184 984 562" style="border: 1px solid black; padding: 5px;"> <p>Perimeter</p> <p>Scope Service ▼</p> <p>Select Service account-service ▼</p> </div> <div data-bbox="402 583 1484 667" style="border: 1px solid gray; padding: 5px; margin-top: 10px;"> <p>i Note that this resource only has the ability to assign the CREATE permission.</p> </div>
<p>Sourcecode viewer</p>	<p>Grants access to the User Guide - Viewing source code feature for the current tenant:</p> <div data-bbox="402 751 1484 835" style="border: 1px solid gray; padding: 5px; margin-top: 10px;"> <p>i Note that this resource only has the ability to assign the CREATE permission.</p> </div>
<p>Tags</p>	<p>Grants access to the add tags feature for the current tenant:</p> <div data-bbox="402 926 893 1220" style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <div style="display: flex; align-items: center;"> <div style="border-right: 1px solid gray; padding-right: 5px; text-align: center;"> T TAG + Add </div> <div style="padding-left: 5px;"> <p>Select</p> <hr/> <p>TAG</p> <hr/> <p>CAST taxonomy</p> </div> </div> </div>

Roles list

The Roles list displays the roles that are available for use and allows you to edit existing and create new roles:

Click to enlarge

ADD ROLE

Roles

<input type="checkbox"/> Roles ↑	Applications authority	Resources and permissions
<input type="checkbox"/> Admin	All Applications	Admin Resources, App to App Dependencies, Custom Object Types, Custom View, Cypher Search, Document-It, Services View, Sourcecode Viewer, Tags
<input type="checkbox"/> Architect	Assign applications	App to App Dependencies, Custom Object Types, Custom View, Cypher Search, Document-It, Services View, Sourcecode Viewer, Tags
<input type="checkbox"/> Super Admin	All Applications	Admin Resources, App to App Dependencies, Custom Object Types, Custom View, Cypher Search, Document-It, Services View, Sourcecode Viewer, Tags
<input type="checkbox"/> User	Assign applications	App to App Dependencies, Custom Object Types, Custom View, Cypher Search, Document-It, Services View, Sourcecode Viewer, Tags

Add role

Add a new custom role:

ADD

Role name*


CANCEL **ADD**

New roles are created without any application data or resource permissions and must be manually configured before being assigned to

<input type="checkbox"/> Roles ↓	Applications authority	Resources and permissions
<input type="checkbox"/> User	Assign applications	Custom View, Cypher, Documentation, Microservice, Pseudo, SOS, Sourcecode, Tags, Taxonomy
<input type="checkbox"/> TEST_ROLE	Assign applications	
<input type="checkbox"/> Super Admin	All Applications	Admin, Custom View, Cypher, Documentation, Microservice, Pseudo, SOS, Sourcecode, Tags, Taxonomy

Selection box

Allows you to select the role and then delete the selected items:




Roles

Lists the names of the roles available in CAST Imaging

Applications authority

Lists any Applications that the user/group has been granted access to and allows Application data permissions to be changed:



Resources and permissions

Lists the resources that have been granted an access permission, and the ability to make changes:

RESOURCES AND PERMISSIONS

Resource	CREATE	UPDATE	DELETE	READ
Admin Resources	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
App to App Dependencies	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Custom Object Types	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Custom View	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Cypher Search	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Document-It	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Services View	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

CANCEL SAVE

Note that logic **checks** are performed when customizing resource permissions in this panel:

- On selecting a READ permission, the parent resource permission is automatically selected as well.
- If multiple permissions together with a READ permission are ticked for any resource, and then the READ permission is unticked, all and the parent resource permission will be automatically unticked.
- All the permissions for a resource will remain unchecked until a READ permission is ticked.

Assigning roles to users/groups

To assign a role or roles to your users or groups, use the [Admin Center - Users panel](#):

Users (1)

<input type="checkbox"/> Users ↑	Roles
<input checked="" type="checkbox"/> cast	Admin Architect ▲
<input type="checkbox"/> test_user1	
<input type="checkbox"/> test_user2	

- Select all
- Admin
- Architect
- Super Admin
- User