

Using the tool in specific scenarios

- [Removing an existing object using CI_NO_OBJECTS](#)
- [Removing an existing link using CI_NO_LINKS](#)
- [Removing an object property using CI_NO_PROPERTIES](#)
- [Adding a new object linked to a parent object that already exists using CI_OBJECTS and CI_PARENTS](#)
- [Modifying an object property on an existing object using CI_INT_PROPERTIES](#)
- [Creating new links between existing unlinked objects using CI_LINKS](#)
- [Modifying links between existing linked objects using CI_LINKS](#)

This section provides a detailed description of how to use the tool in specific scenarios. Examples are provided using SQL queries and are not intended to be exhaustive – i.e. you should be able to create your own queries to handle any situation you face using the details described here.

Each scenario is split into various sub-sections, the first explains how to manage objects that have an OBJECT_GUID, the second and subsequent section explains how to manage objects that do not have an OBJECT_GUID. See **GUID_OBJECTS** in [CAST Analysis Service entry tables](#) for more information about this.

Use the menu above to choose the example you would like to view.



Note that the examples provided here have been created using a Microsoft SQLServer 2008 server. Please adapt the queries to your own environment, making sure that you include the appropriate syntax (Go, /, Commit) – see **Configuring the Update CAST Knowledge Base Tool** in [Using the Update CAST Knowledge Base Tool](#).

Please also note that some of the examples use the OBJECT_NAME value from the CTV_GUID_OBJECTS view to determine the object. In some cases, multiple objects can have the same OBJECT_NAME. As such, any modifications you make to the CAST Analysis Service using the OBJECT_NAME value may change multiple objects. If multiple objects have the same OBJECT_NAME, CAST recommends one of the following:

- Using the OBJECT_FULLNAME value in the CTV_GUID_OBJECTS view as this is unique
- Using the OBJECT_GUID value in the CTV_GUID_OBJECTS view as this is unique (this value is not available for all objects however - see **GUID_OBJECTS** in [CAST Analysis Service entry tables](#) for more information about this.)