

CMS - Preferences - Mail

Preferences - Mail

The **Mail** settings are described below:

Mail server IP, name or address

SMTP Server host

Mail server port (default is 25)

Port

Optional sender (may be required by Mail server for SPAM filtering)

Sender Mail address

Authentication

User

Password

These settings are used to send report emails on completion of a [snapshot generation](#) or the [run analysis only](#) action if the appropriate option is selected AND you have defined a list of recipients in the [Notes](#) tab of the [Application editor](#).

If you check this option, the code analysis will not
analysis have been configured correctly and run v

Skip Application Analysis

Ignore Empty Module

Send mail report (if configured)

SMTP Server host	Enter the SMTP server that will handle the mail for you. This can be: <ul style="list-style-type: none">• a local or internet based IP address• a local Windows host name• a fully qualified domain name
Port	Set the port number on which your mail server runs. Most mail servers run on port 25, but please check your local environment for more information. Secure SSL/TLS connections are not supported.
Sender mail address	Enter an email address of a user that is permitted to send through the SMTP server defined in the SMTP Server host section.
Authentication	Tick Authentication if the target SMTP server requires authentication: <ul style="list-style-type: none">• Enter a User name - for example this could be an email address or a Windows active directory login (DOMAIN\USER)• Enter a Password that corresponds to the User you entered

