

# Server Services - 1.7.0

## On this page:

- [Server](#)
  - [URI Templates](#)
  - [JSON Representation](#)
  - [JSON Example](#)
- [Server Cache Management](#)
  - [URI Templates](#)
- [DBMS Warm-up Service](#)
  - [URI Templates](#)
- [Lucene Index File](#)
  - [URI Templates](#)
  - [JSON Representation](#)
  - [JSON Example](#)
- [Domains Bindings](#)
  - [URI Templates](#)
  - [JSON Representation](#)
  - [JSON Example](#)

## Server

### URI Templates

HTTP Action	Media Type	URI Templates	Description
GET	application/json	server	Information about REST API internal state

### JSON Representation

Properties	Description	type	Occurs
href	Auto reference	URI	1
name	"Server"	String	1
startDate	Starting date of the server	Date	1
memory	Statistics about memory usage (mega-bytes)	Structure	1
memory.totalInitialMemory	Total memory according to the JVM in mega-bytes, before initializing memory cache	Integer	1
memory.totalMemory	Total memory according to the JVM in mega-bytes	Integer	1
memory.freeMemory	Free memory according to the JVM in mega-bytes	Integer	1
memory.usedMemory	Total memory - Free memory	Integer	1
requests	Statistics about requests	Structure	1
requests.totalCounter	Total number of requests	Integer	1
requests.errorsCounter	Total number of requests in errors	Integer	1
requests.totalTime	Total elapsed time of requests milliseconds	Integer	1
requests.averageTime	Total elapsed time of requests in milliseconds	Integer	1
requests.maxTime	Longest elapsed time of all requests in milliseconds	Integer	1
status	Server status either "LOADING" or "READY"	String	1
loadDate	Date of Memory cache update. This date is set at start time of the server or when a reload is requested.	Date	1
abortedDomains	Array of aborted domains. An aborted domain is a domain for which loading has failed.	Array	1
abortedDomains[]	An aborted domain	Structure	0..1
abortedDomains[].name	Domain name	String	1

abortedDomains[].loadingDate	Date of loading start when the loading has been failed	String	1																						
license.status	License status regarding access to Central Bases	String	1																						
	<table border="1"> <thead> <tr> <th>Use Case</th> <th>Status</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td rowspan="4">No License</td> <td>NO_LICENSE_KEY</td> <td>License key was not found</td> </tr> <tr> <td>INVALID_LICENSE_KEY</td> <td>License key is not valid</td> </tr> <tr> <td>CANNOT_ACCESS_LICENSE_KEY</td> <td>License key file is not readable</td> </tr> <tr> <td>INVALID_LICENSE_FILE</td> <td>Cannot find license key file</td> </tr> <tr> <td rowspan="3">Restricted License</td> <td>RESTRICTED_LICENSE</td> <td>License is a restricted license</td> </tr> <tr> <td>GLOBAL_ACCESS_TOKENS_EXCEEDED</td> <td>License is a restricted license, and quota of global access tokens is exceeded</td> </tr> <tr> <td>UNIT_ACCESS_TOKENS_EXCEEDED</td> <td>License is a restricted license, and quota of unit access tokens is exceeded</td> </tr> <tr> <td>Unrestricted License</td> <td>UNRESTRICTED_LICENSE</td> <td>License is an unrestricted license</td> </tr> </tbody> </table>			Use Case	Status	Description	No License	NO_LICENSE_KEY	License key was not found	INVALID_LICENSE_KEY	License key is not valid	CANNOT_ACCESS_LICENSE_KEY	License key file is not readable	INVALID_LICENSE_FILE	Cannot find license key file	Restricted License	RESTRICTED_LICENSE	License is a restricted license	GLOBAL_ACCESS_TOKENS_EXCEEDED	License is a restricted license, and quota of global access tokens is exceeded	UNIT_ACCESS_TOKENS_EXCEEDED	License is a restricted license, and quota of unit access tokens is exceeded	Unrestricted License	UNRESTRICTED_LICENSE	License is an unrestricted license
	Use Case			Status	Description																				
	No License			NO_LICENSE_KEY	License key was not found																				
				INVALID_LICENSE_KEY	License key is not valid																				
				CANNOT_ACCESS_LICENSE_KEY	License key file is not readable																				
				INVALID_LICENSE_FILE	Cannot find license key file																				
	Restricted License			RESTRICTED_LICENSE	License is a restricted license																				
GLOBAL_ACCESS_TOKENS_EXCEEDED		License is a restricted license, and quota of global access tokens is exceeded																							
UNIT_ACCESS_TOKENS_EXCEEDED		License is a restricted license, and quota of unit access tokens is exceeded																							
Unrestricted License	UNRESTRICTED_LICENSE	License is an unrestricted license																							
domainsLocations	Get data source name and schema name for each domain. The ADMINISTRATOR role is required.	Structure	0..1																						
recommendedDbVersion	The preferred version of AIP (for compliancy with database schema)																								
securityMode	This is the configuration value of property <b>security.mode</b> from the <b>security.properties</b> file: <ul style="list-style-type: none"> <li>"default": authentication based of configuration files</li> <li>"ldap": authentication base on LDAP protocol</li> <li>"saml": authentication based on SAML protocol</li> </ul>	String	1																						
samlSingleLogout	This is the configuration value of <b>security.saml.single.logout</b> property from <b>security.properties</b> file. <ul style="list-style-type: none"> <li>"true": logout action is enabled for "saml" security mode</li> <li>"false": logout action is disabled for "saml" security mode</li> </ul>	Boolean	1																						
languages	Installed translations																								

## JSON Example

### GET DEMO

```
{
  "href": "server",
  "name": "Server",
  "startDate": {
    "time": 1381912989379
  },
  "memory": {
    "totalInitialMemory": 15,
    "totalMemory": 31,
    "freeMemory": 9,
    "usedMemory": 21
  },
  "requests": {
    "totalCounter": 2,
    "errorsCounter": 0,
    "totalTime": 22,
    "averageTime": 11,
    "maxTime": 21
  }
}
```

# Server Cache Management



## Warning

Administrator role is required.

REST server stores portfolio objects, configuration, and snapshots in a memory cache. This memory cache is loaded as soon as the REST Server is started.

An URL allows to reload all domains in memory cache. This action may be required when a new snapshot has been added, and can be performed from a command line with a tool such as "curl":

### Use Curl for automation:

```
C:> curl -u admin:cast -H "Accept: application/json" http://localhost:9999/testContext/rest/server/reload
```

For each domain, and for each application an Index file is created for Lucene library. This index allows to search for a components. Lucene index files are created at start time and reload time if this option is enabled:

```
<context-param>
  <param-name>rebuildComponentsSearchIndexesOnStart</param-name>
  <param-value>true</param-value>
</context-param>
```

## URI Templates

HTTP Action	Media Type	URI Templates	Description
GET	application/json	server/reload	Information about REST API internal state

### Parameters

URI Parameter	Description	Values	Default value
domain	Specify a single domain to reload (for example to refresh a domain after a snapshot)	a string	\$all

## DBMS Warm-up Service



## Warning

Administrator role is required.

This service fetches data (results, components, violations) for domains hosted in central bases, in order to pre load data in memory after a DBMS cold restart.

It avoids to penalize first user fetching data.

This service loops on each domain hosted by a central base, and trigger some queries on components, violations and assessment results.

### Use Curl for automation:

```
C:> curl -u admin:cast http://localhost:9999/testContext/rest/server/warmup
```


## URI Templates

HTTP Action	Media Type	URI Templates	Description
GET	application/json	server/warmup	Warm up DBMS after a cold restart (central base hosts only)

## Lucene Index File

For each domain, and for each application an Index file is created for Lucene library. This index allows to search for a components.

## URI Templates

HTTP Action	Media Type	URI Templates	Description
PUT	application/json	{Domain}/components-index	Create or overwrite the components search index for a domain <div style="border: 1px solid red; padding: 5px; margin-top: 10px;">  <b>Warning</b>  Administrator role is required. </div>
GET	application/json	{Domain}/components-index	Get index status for a domain

## JSON Representation

Properties	Description	type	Occurs
href	Auto reference	URI	1
name	Name	String	1
status	<ul style="list-style-type: none"> <li>upToDate : Index is up to date</li> <li>N/A : not applicable, no index</li> <li>toUpdate : last snapshot is more recent than the index date, an index rebuild is required</li> </ul>	String	1
date	Index file date	Date	0..1
lastSnapshotDate	Last Snapshot date	Date	0..1
size	Index file size	Integer	0..1

## JSON Example




```
{
  "href": "ENDTOEND83/components-index",
  "name": "Components search index for applications of ENDTOEND83",
  "status": "upToDate",
  "date": {
    "time": 1496752452859,
    "isoDate": "2017-06-06"
  },
  "lastSnapshotDate": {
    "time": 1493778823000,
    "isoDate": "2017-05-03"
  },
  "size": 4145870
}
```



## Domains Bindings

A Domain binding associates a domain name with a data source name and a schema name.

This resource is based on the use of *domains.properties* file.

## URI Templates

HTTP Action	Media Type	URI Templates	Description
GET	application/json	server/domains-bindings	<p>Get all domains bindings</p> <div style="border: 1px solid red; padding: 5px;"><p> <b>Warning</b> Administrator role is required.</p></div>
PUT	application/json	server/domains-bindings	<p>Update the database binding for a list of domains, or create some new domains with their own bindings.</p> <p>This web service triggers the "reload" service for the domains listed in the payload, in order to update the server memory cache and Lucene index files.</p> <p>This Web service overwrites the <i>domains.properties</i> file.</p> <div style="border: 1px solid red; padding: 5px;"><p> <b>Warning</b> This service accepts the "Authorization" HTTP header to transmit user's credentials, so that a prior call to the login "service" is not required. Thus, we can start the Web Server with an empty list of domains, and bypass the "login" service that prevents connection when no domain is defined.</p></div> <p>In case of exception when writing this file, an HTTP Status "403 Forbidden" is returned. Check the permissions of this file.</p> <div style="border: 1px solid red; padding: 5px;"><p> <b>Warning</b> Administrator role is required.</p></div> <p>Example:</p> <p>Assuming there are two existing domains AED1, AED2, add a new domain:</p> <pre>[   {     "name": "AED3",     "dataSource": "DEV_CSS2",     "schema": "appli1_central"   } ]</pre> <p>Assuming there are three existing domains AED1, AED2, AED3, change schemas for domains AED1, AED2:</p> <pre>[   {     "name": "AED1",     "dataSource": "DEV_CSS2",     "schema": "appliA_central"   },   {     "name": "AED2",     "dataSource": "DEV_CSS2",     "schema": "appliB_central"   } ]</pre>

DELETE	application/json	server/domains-bindings	<p>Update the database binding for a list of domains, or create some new domains with their own bindings.</p> <p>This web service does not need to trigger the "reload".</p> <p>This Web service overwrites the <i>domains.properties</i> file.</p> <div style="border: 1px solid red; padding: 5px; margin: 10px 0;"> <p> <b>Warning</b></p> <p>This service accepts the "Authorization" HTTP header to transmit user's credentials, so that a prior call to the login "service" is not required. Thus, we can start the Web Server with an empty list of domains, and bypass the "login" service that prevents connection when no domain is defined.</p> </div> <p>In case of exception when writing this file, an HTTP Status "403 Forbidden" is returned. Check the permissions of this file.</p> <div style="border: 1px solid red; padding: 5px; margin: 10px 0;"> <p> <b>Warning</b></p> <p>Administrator role is required.</p> </div> <p>Example:</p> <p>Assuming there are two existing domains AED1, AED2, remove domain AED2</p> <pre style="border: 1px solid gray; padding: 10px; margin: 10px 0;">[   {     "name": "AED2"   } ]</pre>
--------	------------------	-------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## JSON Representation

Properties	Description	type	Occurs
name	Domain name	String	1
dataSource	Data source name	String	1
schema	Schema Name	String	1

## JSON Example

```
[
  {
    "name": "AED1",
    "dataSource": "DEV_CSS2",
    "schema": "appli1_central"
  },
  {
    "name": "AED2",
    "dataSource": "DEV_CSS2",
    "schema": "appli2_central"
  }
]
```