

SQL Queries - CAST Knowledge Base - Queries on objects

- How to get the ID of an object from its object name or full name

Purpose of Query

This document provides a query to get the ID of an object from its name, and a query to get the ID of an object from its full-name.

Applicable CAST Version

Release	Yes/No
8.3.x	✓
8.2.x	✓

Applicable RDBMS

RDBMS	Yes/No
Oracle Server	✓
Microsoft SQL Server	✓
CSS	✓

Query for CSS

```
-- From its name
SELECT IDKEY
FROM KEYS
WHERE KEYNAM = '<OBJECT_NAME>'

-- From its full-name
SELECT IDOBJ
FROM OBJFULNAM
WHERE FULLNAME = '<OBJECT_FULL_NAME>'
```

Query result example

1146643

Query result interpretation

The ID of the object in Knowledge Base us 1146643

Query for Oracle

```
-- From its name
SELECT IDKEY
FROM KEYS
WHERE KEYNAM = '<OBJECT_NAME>'

-- From its full-name
SELECT IDOBJ
FROM OBJFULNAM
WHERE FULLNAME = '<OBJECT_FULL_NAME>'
```

Query result example

1146643

Query result interpretation

The ID of the object in Knowledge Base us 1146643

Query for SQL server

```
-- From its name
SELECT IDKEY
FROM KEYS
WHERE KEYNAM = '<OBJECT_NAME>'

-- From its full-name
SELECT IDOBJ
FROM OBJFULNAM
WHERE FULLNAME = '<OBJECT_FULL_NAME>'
```

Query result example

1146643

Query result interpretation

The ID of the object in Knowledge Base us 1146643

Notes/comments

Related Pages